

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	2	"5965875".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 14:08
S3	747	250/227.23,226,208.1.ccls. and (wavelength same intensity)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 16:31
S4	55	250/227.23,226,208.1.ccls. and (wavelength same intensity) and (voltage with var\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 16:33
S5	184	250/227.23,226,208.1.ccls. and (wavelength same intensity) and spectro\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/19 16:45
S6	32	250/227.23,226,208.1.ccls. and (wavelength same intensity) and diffus\$3 and electrode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 08:00
S7	34	("3644161" "3697395" "3697396" "4345021" "4411980" "4447720").PN. OR ("4523102"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 08:03
S9	40	("4387265" "4581625").PN. OR ("4677289").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 09:04
S12	6	250/227.23,226,208.1.ccls. and (wavelength same intensity) and diffus\$3 and electrode and (voltage with (varying variation varied variable switch\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/20 09:25
S13	20	("4791396" "4847489" "5008557" "5068540" "5216259").PN. OR ("5581094").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 09:29
S14	11	("4514755" "4677289" "5424560" "6300612" "6586670" "6593558" "6632701" "6841816" "6864557").PN. OR ("7129466"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 10:23

S15	39	("3971065" "4011016" "4238760" "4309604" "4318115" "4613895" "4651001" "4677289" "4772335" "5397734" "5502299" "5668596" "5739562" "5872371" "5883421" "5889315" "5899714" "5965875" "6078037").PN. OR ("6632701").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 10:40
S17	5	("4577098" "4654536" "4663535" "4804834").PN. OR ("4896049").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 11:22
S18	26	257/440,443,E27.132, E25.006,458,461.ccls. and (diffusion with layer) and ((voltage with (variation vary varied variable varying)) same electrode)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 14:28
S19	2	257/440,443,E27.132, E25.006,458,461.ccls. and (diffusion with layer) and ((voltage with (variation vary varied variable varying)) same electrode) and wavelength	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 14:29
S20	5	257/440,443,E27.132, E25.006,458,461,80.ccls. and (diffusion with layer) and ((voltage with (variation vary varied variable varying)) same electrode) and wavelength	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 15:06
S21	1	356/300,402,405,406,407.ccls. and (diffusion with layer) and ((voltage with (variation vary varied variable varying)) same electrode) and wavelength	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:02
S22	1	356/300,402,405,406,407.ccls. and (diffusion with layer) and ((voltage with (variation vary varied variable varying)) same electrode)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:03
S23	1	356/300,402,405,406,407.ccls. and (diffusion) and ((voltage with (variation vary varied variable varying)) same electrode) and wavelength	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:03
S24	3	"356"/\$.ccls. and (diffusion with layer) and ((voltage with (variation vary varied variable varying)) same electrode)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:04
S25	1	"5529940".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:23
S26	1	"5656519".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:24
S27	15	("4688323" "4914047" "4970173" "5118638" "5158903" "5164327" "5177569" "5191396" "5248627").PN. OR ("5529940").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:36

S28	1	"5646424".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:42
S29	1	"5470763".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/20 16:44
S30	9	250/227.23,226,208.1.ccls. and (wavelength same intensity) and diffus\$3 and electrode with film	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 06:00
S31	132	257/440,443,E27.132, E25.006,458,461.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/21 06:54
S32	28	257/440,443,E27.132, E25.006,458,461.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying)) and ((electrode with film) same impurity)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/21 06:55
S33	80	250/227.23,226,208.1-208.6,214.1.ccls. and (wavelength same intensity) and (voltage with var\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 10:13
S34	13	250/227.23,226,208.1-208.6,214.1.ccls. and (wavelength same intensity) and (voltage with var\$3) and diffus\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 10:14
S35	15	250/227.23,226,208.1-208.6,214.1.ccls. and (wavelength same intensity) and (voltage with var\$3) and (diffus\$3 deplet\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 10:14
S36	7	250/227.23,226,208.1-208.6,214.1.ccls. and (wavelength same intensity) and (voltage with var\$3) and electrode with film	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 10:15
S37	2	250/226.ccls. and diffus\$3 same (gate with voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 10:33
S38	21	250/226.ccls. and diffus\$3 same (gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 10:34

S39	10	("4079405" "4191452" "4820915" "5726440").PN. OR ("5965873").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/21 10:46
S40	28	("4513305" "4614871" "4835393" "4977325" "5093564" "5264693" "5306904" "5329110" "5360987" "5420432" "5498863" "5598014" "H001423").PN. OR ("5726440").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/02/21 11:21
S41	1	356/300-334.ccls. and diffus\$3 same (gate with voltage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 12:09
S42	22	356/300-334.ccls. and diffus\$3 same (gate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/02/21 12:10
S43	43	("4387265" "4581625").PN. OR ("4677289").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/01 11:01
S44	0	257/440,443,E27.132, E25.006,458,461.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying)) and attenuat\$3 and exponen\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 11:23
S45	40	"257"/\$.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying)) and attenuat\$3 and exponen\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 11:23
S46	320	"257"/\$.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying)) and (attenuat\$3 diffus\$3) and exponen\$6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 11:25
S47	3	"257"/\$.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying)) and (((attenuat\$3 diffus\$3) and exponen\$6) same intensi\$4 near5 (beam light))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/08/01 11:28
S48	36	(diffusion with layer) and (((attenuat\$3 diffus\$3) and exponen\$6) same intensi\$4 near5 (beam light))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 12:05
S49	4	(diffusion with layer) and (voltage with (variation vary varied variable varying)) and (((attenuat\$3 diffus\$3) and exponen\$6) same intensi\$4 near5 (beam light))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/01 12:06

S50	2026	(diffusion with layer) and (((attenuat\$3 diffus\$3)) same intensi\$4 near5 (beam light))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 07:32
S51	212	(diffusion with layer) and (voltage with (variation vary varied variable varying)) and (((attenuat\$3 diffus\$3)) same intensi\$4 near5 (beam light))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 07:32
S52	435	250/227.23.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 07:57
S53	105	filter and (diffusion with layer) and (voltage with (variation vary varied variable varying)) and (((attenuat\$3 diffus\$3)) same intensi\$4 near5 (beam light))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 08:54
S54	125	(diffusion with layer) and (voltage with (variation vary varied variable varying)) and (((attenuat\$3 diffus\$3)) same intensi\$4 near5 (beam light)) and ratio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:47
S55	23	(diffusion with layer) and (voltage with (variation vary varied variable varying)) and (((attenuat\$3 diffus\$3)) same intensi\$4 near5 (beam light)) same ratio	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 09:48
S56	6370	250/208.1,226.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 10:51
S57	84	250/208.1,226.ccls. and depth and (diffus\$3 near5 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 10:51
S58	62	250/208.1,226.ccls. and (depth thickness) same (diffus\$3 near5 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 10:52

S59	14481	"438"/\$.ccls. and (depth thickness) same (diffus\$3 near5 layer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 11:32
S60	87	"438"/\$.ccls. and (depth thickness) same (diffus\$3 near5 layer) and voltage and (ratio with intensit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/04 11:32
S61	133	257/440,443,E27.132, E25.006,458,461.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 12:31
S62	99	257/440,E27.132,E25.006,461.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 12:39
S63	133	257/440,443,458,E27.132, E25.006,461.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 12:39
S64	43	257/443,458.ccls. and (diffusion with layer) and (voltage with (variation vary varied variable varying))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/04 12:39

8/ 4/ 2008 12:52:29 PM

C:\ Documents and Settings\jbennett\ My Documents\ EAST\ Workspaces\ 10561954.wsp